(12) UK Patent Application (19) GB

(11) 2 209 041₍₁₃₎A

(43) Date of A publication 26.04.1989

- (21) Application No 8720064.8
- (22) Date of filing 26.08.1987
- (71) Applicant Glyndwr Mitchell Lyttelton House, Lyttelton Road, Droitwich, United Kingdom


Simon Nicholas Glyndwr Mitchell Lyttelton House, Lyttelton Road, Droitwich, **United Kingdom**

- (72) Inventor Glyndwr Mitchell
- (74) Agent and/or Address for Service Glyndwr Mitcheli Lyttelton House, Lyttelton Road, Droitwich, United Kingdom

- (51) INT CL4 E04H 12/00
- (52) UK CL (Edition J) E1D DCB DF108 D1072 D2107 D401 D427 D523 D907 U1S S1696 S1813 S3042
- (56) Documents cited GB 0526785 A GB 2156735 A
- (58) Field of search UK CL (Edition J) E1D, E1G INT CL' E04H

(54) Modular impact-protective colour combination post guard

(57) A modular post guard has a single layer or multilayer impact-absorbing material contained in a durable outer cover which has the means to be wrapped around a post and secured in position such that it provides protection from damage to sportsmen, to sportswomen, or to animals should they come into collision with the post. The outer surface can be of different shapes and can provide single colours or multiples of colours in different combinations. The outer cover provides a surface for display of identification or advertising material.



3B 2 209 041 A

At least one drawing originally filed was informal and the print reproduced here is taken from a later filed formal copy. The claims were filed later than the filing date within the period prescribed by Rule 25(1) of the Patents Rules 1982.

This print takes account of replacement documents submitted after the date of filing to enable the application to comply with the formal requirements of the Patents Rules 1982.

Fig1




Fig 2





Fig3



MODULAR IMPACT-PROTECTIVE COLOUR COMBINATION POST GUARD

Description

Each module is made of a single or multi-layer shock absorbing material contained in a durable cover made from canvas, tarpaulin, plastic, or such material.

The internal and external materials can be formed so that when wrapped around the post the outer shape can be circular, square, or any required geometry.

The post guard can be fitted to the post by a suitable means such as eyelets, rope, press studs, hooks, buttons, tapes, adhesives or by combinations of them.

The modular post guard can be fitted to the post, singly, separately, or can be joined together.

The post guard module can be made in different colours enabling combinations of colour to suit school, club requirements.



MODULAR IMPACT-PROTECTIVE COLOUR COMBINATION POST GUARD

CLAIMS

- 1 A modular post guard consisting of single or multilayer shock absorbing materials (3)and(4) contained in a durable outer cover (2) made from canvas, tarpaulin, plastic, or such material.
- 2 A modular post guard as claimed in Claim 1 wherein the internal and external materials can be formed so that when wrapped around a post(5)and(7) the outer shape can be circular, square, or any required shape.
- 3 A modular post guard as claimed in Claim 1 or Claim 2 wherein fixing means is provided by eyelets(1),rope(6), straps, press studs, buttons, tapes, "Velcro" (RTM), adhesives, or by combinations of them.
- 4 A modular post guard as claimed in Claim 1 or Claim 2 or Claim 3 wherein the materials, sizes, proportions and fixings provide columnar self-support.
- 5 A modular post guard as claimed in any preceding claim wherein the outer cover is provided in a range of colours enabling combinations of colours(8) to be obtained to suit school, club, league, county, division, national, or international requirements.
- 6 A modular post guard as claimed in any preceding claim wherein a smooth outline and surface is provided.
- 7 A modular post guard as claimed in Claim 6 wherein the surface will be usable for identification or for advertising purposes either singly or in combination with other modular post guards.
- 8 A modular post guard substantially as described with reference to figures 1 to 3 of the accompanying drawing.